



# Actinic BL TL(-K)/TL-D(-K)

## Actinic BL TL 40W T12

With an optimized spectrum matching the eye sensitivity of the housefly, Actinic BL TL(-K)/TL-D(-K)/TL-E/PL-S and PL-L lamps are perfect for attracting insects. They have virtually no UV-B output, and so are perfectly safe. What's more, with the lowest mercury content in the industry and being 100% lead-free, these lamps represent a very good environmental choice. Furthermore, the availability of a wide range of form factors (straight (T5, T8, T12), circular (TL-E) and compact (PL-S/PL-L)) and wattages enables you to make all kinds of designs for your electronic fly killers.

## Product data

### • General Characteristics

System Description	Rapid Start
Cap-Base	G13
Bulb	T12
Main Application	Reprography
Useful Life	5000 hr
Life to 50% failures	9000 hr
EM	

### • Light Technical Characteristics

Color Code	10
Color Designation (text)	Actinic
Chromaticity Coordinate X	222 -
Chromaticity Coordinate Y	210 -
Depreciation 5000 hours	40 %
Depreciation 2000 hours	20 %

### • Electrical Characteristics

Watts	40 W
Lamp Wattage Technical	39 W
Lamp Voltage	101 V
Lamp Current	0.43 A

### • Environmental Characteristics

Mercury (Hg) Content	13.0 mg
----------------------	---------

### • UV-related Characteristics

UV-A Radiation 100hr (IEC)	10.0 W
UV-B/UV-A (IEC)	0.2 %
UV-A Radiation 0hr (IEC)	12.4 W

### • Product Dimensions

Base Face to Base Face A	1199.4 (max) mm
Insertion Length B	1204.1 (min), 1206.5 (max) mm
Overall Length C	1213.6 (max) mm
Diameter D	40.5 (max) mm

### • Product Data

Product number	391532
Full product name	Actinic BL TL 40W/10 SLV
Short product name	Actinic BL TL 40W/10 SLV/25
Pieces per Sku	1
eop_pck_cfg	25
Skus/Case	25
Bar code on pack	8711500260260
Bar code on case	8711500260277
Logistics code(s)	928011301020
eop_net_weight_pp	292.000 gr



# PHILIPS

sense and simplicity

## Dimensional drawing


### Actinic BL TL 40W T12

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL 40W/10 RS	1199.4	1204.1	1206.5	1213.6	40.5



G13

## Photometric data



© 2013 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2013, May 13  
data subject to change