



T5 Color

24W Red HO T5

Philips T5 Fluorescent Lamps are incredibly powerful, environmentally responsible, long life lamps with an ultra-slim profile. This translates into reduced maintenance and disposal costs and also allows the use of smaller fixtures-which reduces ceiling clutter.

Product data

• General Characteristics

System Description	High Output
Base	Miniature Bipin
Base Information	Green Plate
Bulb	T5 [16 mm]
Life to 50% fail	24000 hr
Preheat EL,3h	
Life to 10% fail	19000 hr
Preheat EL,3h	

• Electrical Characteristics

Lamp Wattage	24 W
Lamp Wattage EL 25°C	24 W
Lamp Voltage EL 25°C	77 V
Lamp Current EL 25°C	0.295 A
Dimmable	Yes
Lamp Wattage EL 35°C	22.5 W
Lamp Current EL 35°C	0.300 A
Lamp Voltage EL 35°C	75 V

• Environmental Characteristics

Mercury (Hg) Content	3.0 mg
----------------------	--------

• Light Technical Characteristics

Color Code	150
Color Designation	Red

Chromaticity Coordinate X	565 -
Chromaticity Coordinate Y	328 -
Luminous Flux Lamp EL 25°C	1400 Lm
Lumen Maintenance 2000h	95 %



• Product Dimensions

Base Face to Base Face A	549.0 (max) mm
Insertion Length B	553.7 (min), 556.1 (max) mm
Overall Length C	563.2 (max) mm
Diameter D	17 (max) mm

• Product Data



Order code	927928015024
Full product code	927928015024
Full product name	MASTER TL5 HO Colored 24W Red 1SL
Order product name	MASTER TL5 HO Colored 24W Red 1SL/20
Pieces per pack	1
Packing configuration	20
Packs per outerbox	20
Bar code on pack - EAN1	8711500611826
Bar code on outerbox - EAN3	8727900895148
Logistic code(s) - 12NC	927928015024
ILCOS code	FDH-24/RED/L/P-G5-16/550
Net weight per piece	54.000 gr

Dimensional drawing



Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL5 HO 24W/150 Red	549.0	553.7	556.1	563.2	17

Photometric data



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, May 24
data subject to change