

Flexo Print

TL 60W/10-R 1SL

Flexo print TL lamps emit almost all of their light (99.9%) in the useful UVA and visible blue wavebands – between 350 and 400 nm – and have peak intensity at 370 nm (except for the /03 version). This makes them ideal for flexo printing equipment and photopolymerization processes. In addition, the 'R' lamps in the family have an internal 200-degree reflector to further optimize the lamp's overall efficiency.

Product data

• General Characteristics

G13
Т38
Reprography
1000 hr

• Light Technical Characteristics

Color Code Color Designation	10-R Ultra Violet A
(text) Chromaticity Coor- dinate X	222 -
Chromaticity Coor- dinate Y	210 -
Depreciation 500 hours	10 %
Depreciation 1000 hours	15 %
Depreciation 2000 hours	30 %

• Electrical Characteristics

Lamp Wattage Lamp Wattage Tech-	60 W 62 W
nical Lamp Voltage Lamp Current	102 V 0.7 A
Lamp Current	U./ A

• Environmental Characteristics

Mercury (Hg)	13.0 mg
Content	

• UV-related Characteristics

UV-A Radiation	15.8 W
100hr (IEC)	
UV-B/UV-A (IEC)	0.1 %

• Product Dimensions

Base Face to Base Face A Insertion Length B Overall Length C Diameter D 1199.4 (max) mm

1204.1 (min), 1206.5 (max) mm 1213.6 (max) mm 40.5 (max) mm


• Product Data

Order code	
Full product code	
Full product name	
Order product name	
Pieces per pack	
Packing configuration	
Packs per outerbox	
Bar code on pack -	
EAN1	
Bar code on	
outerbox - EAN3	
Logistic code(s) -	
12NC	
Net weight per piece	

928008401003 928008401003 TL 60W/10-R SLV TL 60W/10-R SLV/25 1 25 25 8711500615725 8711500615732 928008401003 260.200 gr



Dimensional drawing




TL 60VV/10-R						
Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)	

TL 60W/10-R	1199.4	1204.1	1206.5	1213.6	40.5



G13

Photometric data





 $\ensuremath{\textcircled{}^{\circ}}$ 2013 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting