



TL- D 58W/33- 640 SLV

Product family description
Low- pressure mercury discharge lamps
with a tubular 26 mm envelope

Product Features

- Standard colours with moderate colour rendering
- Available in various colour designations

Product Benefits


- Create atmospheres from warm white to cool daylight

Application


- Suitable for use in a wide range of luminaires for TL- D fluorescent lamps, used in applications where colour rendering is not an important factor

Product data	
Order code	702746 40
Full product code	871150070274640
Full product name	TL- D 58W/33- 640 SLV
Order product name	TL- D 58W/33- 640 SLV/25
Packing type	1 Sleeve
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500702746
Bar code on intermediate packing - EAN2	
Bar code on outerbox - EAN3	8711500728142
Logistic code(s) - 12NC	9280 490 03307 9280 490 03310 9280 490 03317 9280 490 03323 9280 490 03326 9280 490 03331 9280 490 03339 9280 490 03344 9280 490 03346 9280 490 03379
ILCOS code	FD- 58/41/2B- E- G13
Net weight per piece	172.600 GR
Successor order code	
Cap- Base	G13 [Medium Bi- Pin Fluorescent]


Product data	
Bulb	T8 [26mm]
Rated Lamp Wattage	58W
Energy Efficiency Label (EEL)	B
Mercury (Hg) Content	
Colour Code	33- 640
Colour Rendering Index	63 Ra8
Colour Designation (text)	Cool White
Colour Temperature	4100 K
Lamp Luminous Flux EM	4600 Lm




TL-D G13




Cap- Base G13




TL-D




TL-D/33- 640



TL-D/33-640



TL-D/33-640



TL-D

	A	B	B	C	D
Full product name	Max	Min	Max	Max	Max
TL-D 58W/ 33-64 0 SLV	1500.0	1504.7	1507.1	1514.2	28

