



# TL-D Standard Colours

## TL-D 58W/54-765 1SL

Low-pressure mercury discharge lamps with a tubular 26 mm envelope

### Product data

#### • Product Data

Order code	702753 99
Full product code	871150070275399
Full product name	TL-D 58W/54-765 1SL
Order product name	TL-D 58W/54-765 1SL/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500702753
Bar code on outerbox - EAN3	8711500728234
Logistic code(s) - 12NC	928049005482
ILCOS code	FD-58/62/2A-E-G13
Net weight per piece	0.230 kg

#### • General Characteristics

Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Bulb	T8 [26 mm]
Life to 50% failures EM	13000 hr
Life to 10% failures EM	10000 hr

#### • Electrical Characteristics

Lamp Wattage	58 W
Lamp Wattage EM	58.5 W
Lamp Voltage	111 V
Lamp Current EM	0.670 A
Dimmable	yes

#### • Environmental Characteristics

Energy Efficiency Label (EEL)	B
Mercury (Hg) Content	8.0 mg

#### • Light Technical Characteristics

Colour Code	54-765
Colour Rendering Index	72 Ra8
Colour Designation	Cool Daylight
Colour Temperature	6200 K
Chromaticity Coordinate X	315 -
Chromaticity Coordinate Y	341 -
Lamp Luminous Flux EM	4000 Lm
Lumen Maintenance 2000h	90 %
Lumen Maintenance 5000h	80 %
Lumen Maintenance 10000h	75 %
Lumen Maintenance 15000h	70 %
Average Luminance EM	1.15 cd/cm <sup>2</sup>
Luminous Flux Lamp EM 30°C	3650 Lm

#### • Product Dimensions


Base Face to Base Face A	1500.0 mm
Insertion Length B	1504.7 (min), 1507.1 (max) mm

# TL-D Standard Colours


Overall Length C 1514.2 mm

Diameter D 28 mm



## Dimensional drawing



Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-D 58W/54-765	1500.0	1504.7	1507.1	1514.2	28



## Photometric data



© 2011 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2011, April 4  
data subject to change