



TL Mini 13W/ 33- 640 FAM

Product family description
Low- pressure mercury discharge lamps
with a tubular 16 mm envelope

Product Features

- 16 mm diameter tubes with moderate colour rendering

Product Benefits

- Creates atmospheres from warm white to cool daylight


Application

- Ideal for applications where space is limited and colour rendering is not important
- Orientation lighting
- Emergency lighting


System

- Possibility for operation on low- voltage DC supply


Product data	
Order code	704757 27
Full product code	871150070475727
Full product name	TL Mini 13W/33- 640 FAM
Order product name	TL Mini 13W/33- 640 FAM/10X25BOX
Packing type	1 Foam
Pieces per pack	1
Packing configuration	10X25BOX
Packs per outerbox	250
Bar code on pack - EAN1	8711500704757
Bar code on intermediate packing - EAN2	8711500718501
Bar code on outerbox - EAN3	8711500718518
Logistic code(s) - 12NC	9280 015 03303 9280 015 033099280 015 03330 9280 015 03340
ILCOS code	FD- 13/41/2B- E- G5
Net weight per piece	51.000 (GR)
Successor order code	
Rated Lamp Wattage[W]	13W
Colour Code	33- 640
Cap- Base	G5
Bulb	T5[16mm]
Energy Efficiency Label (EEL)	A
Mercury (Hg) Content[mg]	5.0
Colour Rendering Index[Ra8]	60
Colour Designation (text)	Cool White
Colour Temperature[K]	4100
Lamp Luminous Flux EM[Lm]	930



TL Mini/33- 640



TL Mini/33- 640



TL Mini

	A	B	C	D
Full product name	Max	Min	Max	Max
TL Mini 13W/ 33-64 0 FAM	516.9	521.6	524.0	531.1

