



MASTER TL Mini Super 80 8W/830 FAM

Product family description
Low-pressure mercury discharge lamps
with a tubular 16 mm envelope

Product Features

- 16 mm diameter tubes with highly efficient 3-band fluorescent coating

Product Benefits

- Good colour rendering
- High efficacy, both initially and during lamp lifetime, with high lumen maintenance compared with standard lamps
- Small lamp dimensions enables system miniaturisation

Environment

- Best environmental choice because of highest energy efficiency available for fluorescent lighting. Lowest CO₂ emission compared to any other comparable lightsource. 100% lead free
- This product range is RoHS compliant per 1-1-2006
- This product range is covered by WEEE

Application

- Ideal for applications where space is limited but requiring better colour rendering and efficacy than standard colours:
- hall and staircase lighting in apartment buildings
- built into furniture, mirror and cupboard lighting
- emergency lighting

System



- Possibility for operation on low-voltage DC supply

Product data	
Order code	716385 27
Full product code	871150071638527
Full product name	MASTER TL Mini Super 80 8W/830 FAM
Order product name	MST TL Mini 8W/830 FAM/10X25BOX
Packing type	1 Foam

Product data	
Pieces per pack	1
Packing configuration	10X25BOX
Packs per outerbox	250
Bar code on pack - EAN1	8711500716385
Bar code on intermediate packing - EAN2	
Bar code on outerbox - EAN3	8711500716408
Logistic code(s) - 12NC	9280 010 08301 9280 010 08303 9280 010 08340
ILCOS code	FD- 8/30/1B- E- G5
Net weight per piece	0.029 KG
Successor order code	
Cap- Base	G5
Bulb	T5 [16mm]
Rated Lamp Wattage	8W
Energy Efficiency Label (EEL)	B
Colour Code	830 [CCT of 3000K]
Colour Rendering Index	85 Ra8
Colour Designation (text)	Warm white
Colour Temperature	3000 K
Lamp Luminous Flux EM	470 Lm




MST TL Mini




MST TL Mini/830

Cap- Base G5



MST TL Mini/830



MST TL Mini

	A	B	B	C	D
Full product name	Max	Min	Max	Max	Max
MASTER TL Mini Super 80 8W/830 FAM	288.3	293.0	295.4	302.5	16

