



## TUV TL 115W VHO SLV

Product family description  
Low- pressure mercury vapour discharge  
lamps with a tubular glass envelope

### Product Features

- Emit short-wave UV radiation with a peak at 253.7 nm (UV- C) for germicidal action
- Lamp glass filters out the 185 nm ozone- forming line
- Protective inside coating limits depreciation of useful UV- C output
- Warning sign on lamp indicates UV- C radiation output


### Application

- Killing or inactivating bacteria, viruses and other


- primitive organisms
- Air, water and surface disinfection in hospitals, bacteriological research and pharmaceutical environments, and food processing industries such as dairies, breweries and bakeries
- Disinfection of drinking water, waste water, swimming pools, air conditioning systems, cold storage rooms, packing materials etc.
- Used in a variety of photochemical processes

Product data	
Order code	617590 10
Full product code	871150061759010
Full product name	TUV TL 115W VHO SLV
Order product name	TUV TL 115W VHO SLV/6
Packing type	1 Sleeve
Pieces per pack	1
Packing configuration	6
Packs per outerbox	6
Bar code on pack - EAN1	8711500617590
Bar code on intermediate packing - EAN2	
Bar code on outerbox - EAN3	8711500617606
Logistic code(s) - 12NC	9280 497 04003
ILCOS code	
Net weight per piece	287.500 (GR)
Successor order code	
Rated Lamp Wattage[W ]	115W
System Description	VHO [Very High Output]
Packing Type	SLV [1 Sleeve]
Packing Configuration	6
Cap- Base	G13
Bulb	T38
Main Application	Disinfection

Product data	
Useful Life[hr ]	5000
Life to 50% failures EM[hr ]	5000
Product Nett Weight[gr ]	290
Technical Lamp Power[W ]	116
Lamp Voltage[V ]	92
Lamp Current[A ]	1.5
Colour Code	-
Colour Designation (text)	-
UV-C Radiation[W ]	37.0



TUV TL



TUV TL

