

XBO 450 W/2 OFR

XBO | Xenon short-arc lamps 450...10,000 W



- Classic 35 mm film projection
- Digital film and video projection
- Architectural and effect light ("Light Finger")
- Sunlight simulation

Product benefits

- Very high luminance (point light source)
- Continual color quality, irrespective of lamp type and lamp wattage
- Long lamp life

Product features

- Color temperature: approx. 6,000 K (Daylight)
- Dimmable
- Hot restart capability
- DC operation
- High color rendering index: $R_a >$

Technical data

Electrical data


Construction wattage	0.45 kW
Nominal wattage	450 W
Nominal voltage	17 V
Nominal current	25.00 A
Current control range	17...30 A

Light technical data

Nominal luminous flux	13000 lm
Luminous intensity	1300 cd
Luminous flux	13000 lm

Dimensions & weight

Diameter	29.0 mm
Length	177.0 mm



Product line drawing

Lifespan

Lifespan	2000 h
----------	--------

Additional product data

Base (standard designation)	SK19/36/SK19/36
Base anode (standard designation)	SK27/50
Base cathode (standard designation)	SFcX27-8
Arc stability, horizontal	No
Footnote used only for product	OFR = Ozone-free version

Capabilities

Burning position	s30 ¹⁾
------------------	-------------------

¹⁾ Anode on top



Burning position

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321082626	Shipping carton box 1	184 mm x 180 mm x 410 mm	697.60 g	13.58 dm ³

Disposal

The cold internal pressure of the lamp is approx. 8 bar of Xenon, the lamp must first be depressurized before it can be disposed. Place the lamp – in its protective jacket – in a plastic bag and drop it from a height of 1.0...1.5 m onto a hard surface (e.g. concrete).

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.