

# ITT 3000 W 235 V-01Y0 Z/K

HALOTHERM | Infrared halogen lamps, quartz clear



# Areas of application

- Plastics, paper and printing industries
- Drying paint and varnishes
- Coil coating
- · Keeping food warm in restaurants

# **Product benefits**

- · Short response time
- High efficiency
- Precise controllability
- Long lamp life

# Product datasheet

### Technical data


#### **Electrical data**

| Nominal wattage      | 3000.00 W  |  |
|----------------------|------------|--|
| Nominal voltage      | 235 V      |  |
| Lamp current         | 12.80000 A |  |
| Construction voltage | 235 V      |  |
| Rated wattage        | 3 kW       |  |

#### Photometrical data

| Color temperature | 2350 K |
|-------------------|--------|

### **Dimensions & weight**



#### Product line drawing

| Diameter        | 12.0 mm   |  |
|-----------------|-----------|--|
| Length          | 361.0 mm  |  |
| Filament length | 280.00 mm |  |

### Lifespan

| Lifespan | 5000 h |
|----------|--------|
|----------|--------|

### Additional product data

| Base (standard designation) Y/Z |
|---------------------------------|
|---------------------------------|

# Capabilities

| Burning position | Any |
|------------------|-----|
|------------------|-----|

# Product datasheet

# Country specific information

| Product code  | METEL code     | SEG-No. | STK number | UK Org |
|---------------|----------------|---------|------------|--------|
| 4008321206725 | OSRITT3000Y0ZK | -       | 4739795    | -      |

### Product datasheet

# Logistical Data

| Product code  | Product description           | Packaging unit<br>(Pieces/Unit) | Dimensions (height x width x length) | Volume                | Gross weight |
|---------------|-------------------------------|---------------------------------|--------------------------------------|-----------------------|--------------|
| 4008321206725 | ITT 3000 W 235 V-<br>01Y0 Z/K | Shipping carton box 30          | 165 mm x 360 mm x<br>515 mm          | 30.59 dm <sup>3</sup> | 2280.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.