


## 64260 30 W 12 V

Low-voltage halogen lamps without reflector



### Areas of application


- Lamps for special luminaires
- Medical fiber optics (HLX)

### Product benefits

- Compared to standard lamps up to 10 % higher luminous efficacy (HLX)
- Instant light (HLX)
- Increased energy efficiency due to additional infrared coating on glass bulb (XIR)
- Compared to standard lamps up to 30 % higher luminous efficacy (XIR)

### Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)
- HLX tungsten halogen low-voltage lamp with or without reflector
- Dimmable (HLX)
- XIR tungsten halogen capsule with xenon gas filling



# Product datasheet

## Technical data


### Electrical data

Nominal wattage	30.0 W
Nominal voltage	12.0 V

### Photometrical data

Luminous flux	800 lm
---------------	--------

### Dimensions & weight



Diameter	9 mm
Length	40.0 mm
Light center length (LCL)	14.0 mm
Filament length	2.60 mm
Illuminated field	2.6*1.3 mm <sup>2</sup>
Filament diameter	1.3 mm

### Lifespan

Lifespan	50 h
----------	------

### Additional product data

Base (standard designation)	PG22
-----------------------------	------

### Capabilities

Burning position	Any
------------------	-----

### Certificates & standards

EEL – Energy Label	B
--------------------	---

## Product datasheet


### Country specific categorizations

<b>LIF</b>	M/185
<b>Order reference</b>	64260 30W 12V P

### Country specific information

<b>Product code</b>	<b>METEL code</b>	<b>SEG-No.</b>	<b>STK-Number</b>	<b>UK Org</b>
4050300099798	OSRH64260	-	-	-

# Product datasheet



s180

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321074164	64260 30 W 12 V	Folding carton box 1	- x - x -		
4008321074171	64260 30 W 12 V	Shipping carton box 30	158 mm x 131 mm x 81 mm	1.68 dm <sup>3</sup>	360.00 g
4050300099798	64260 30 W 12 V	Folding carton box 1	70 mm x 19 mm x 25 mm	0.03 dm <sup>3</sup>	8.50 g
4050300338309	64260 30 W 12 V	Shipping carton box 30	158 mm x 81 mm x 131 mm	1.68 dm <sup>3</sup>	321.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.