
RUBYSTAR 1200 W 235 V-0026 PH

RUBYSTAR | Infrared halogen lamps



Areas of application

- For use in professional indoor and outdoor infrared heating systems
- For use in special systems in automobile paint shops for drying paint

Product benefits

- Predominantly emits the desired thermal radiation
- Effectively reduces the visible light component
- High efficiency
- Long lamp life
- Short response time

Product features

- RUBYSTAR lamps based on the technology of HALOTHERM lamps



Product datasheet

Technical data


Electrical data

Nominal wattage	1200.00 W
Nominal voltage	235 V
Construction voltage	235.00 V
Nominal current	5.1 A
Lamp current	5.1 A

Photometrical data

Color temperature	2350 K
-------------------	--------

Dimensions & weight



Diameter	10.0 mm
Length	351.0 mm
Filament length	280.00 mm
Cable length	200.0 mm

Lifespan

Lifespan	5000 h
----------	--------

Additional product data

Base (standard designation)	K9x15/21
Connector: Presence	Yes

Capabilities

Burning position	p15
Fuse, quick-acting	10.0 A

Product datasheet

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321204233	OSRRUBY1200PH	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321204233	RUBYSTAR 1200 W 235 V-0026 PH	Folding carton box 1	378 mm x 26 mm x 29 mm	0.29 dm ³	61.00 g
4008321204240	RUBYSTAR 1200 W 235 V-0026 PH	Shipping carton box 12	395 mm x 115 mm x 102 mm	4.63 dm ³	791.67 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.