

# XBO 2000 W/HPS OFR

XBO HPS | Xenon short-arc lamps for digital cinema projection



#### Areas of application

- Classic 35 mm film projection
- Digital film and video projection
- Architectural and effect light ("Light Finger")
- Sunlight simulation

### **Product benefits**

- Short arc with very high luminance for brighter screen illumination
- Constant color temperature of 6,000 K throughout the entire lamp lifetime
- Easy to maintain
- High arc stability
- Instant light on screen thanks to hot restart function
- Wide dimming range

#### **Product features**

- Wattage: 1,200...8,000 W

- Very good color rendering index: R<sub>2</sub> >







# Product datasheet

### Technical data

### **Electrical data**

Nominal wattage	2000.00 W
Lamp voltage	24.5 V
Nominal current	80.0 A
Current control range	4687 A

# Dimensions & weight

Diameter	46.5 mm
Length	334.0 mm
Length with base excl. base pins/connection	334.00 mm
Light center length (LCL)	128.0 mm <sup>1)</sup>
Electrode gap cold	4.0 mm
Cable/wire length, input side	195 mm
Product weight	570.00 g

 $<sup>^{</sup>m 1)}$  Distance from end of base to tip of electrode (cold)

### Lifespan

Lifespan	2400 h
----------	--------

# Additional product data

Base anode (standard designation)	SFaX30-14/68
Base cathode (standard designation)	SFc30-20/50

### **Capabilities**

Cooling	Forced
Burning position	s15/p15 <sup>1)</sup>

 $<sup>^{1)}</sup>$  For vertical burning position: anode (+) on top

### Product datasheet

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899013063	XBO 2000 W/HPS OFR	Shipping carton box 1	590 mm x 234 mm x 229 mm	31.62 dm³	1663.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.