

PAR56 300 W 12 V WFL

PAR56 | Halogen lamps with parabolic reflector PAR56, with pin base









Product datasheet

Technical data

Electrical data

Nominal wattage	300 W
Nominal voltage	12.0 V


Photometrical data

Luminous intensity	12000 cd

Light technical data

Beam angle	38/20 °

Dimensions & weight



Diameter	178.0 mm
Length	127.0 mm

Lifespan

Lifespan	1200 h
----------	--------

Capabilities

Burning position	hs30 ¹⁾

 $^{^{1)}}$ Do not tilt perpendicular to the filament

Certificates & standards

Country specific categorizations

Order reference	PAR56 300W 12V

Product datasheet

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321362209	OSRPAR5630012V	-	4736200	-

Product datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (cover panel etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. Because of the heat produced only heat-resistant lamp connections (holders) may be used. Do not operate near people, or any materials that are flammable, sensitive to heat or affected by drying out. Detailed information is available on request.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321362209	PAR56 300 W 12 V WFL	Folding carton box 1	153 mm x 142 mm x 153 mm	3.32 dm ³	607.00 g
4008321362216	PAR56 300 W 12 V WFL	Shipping carton box 6	476 mm x 162 mm x 321 mm	24.75 dm³	4446.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.