

## NIGHTLUX WT

### NIGHTLUX | LED nightlights



#### Areas of application

- Indoor and outdoor
- Dark corners
- Steep staircases

#### Product benefits

- Easy to install with screws, magnets or adhesive strip

#### Product features

- Dustproof and splashproof
- Swivels up and down through an angle of 60°



# Product datasheet

## Technical data

### Electrical data

Nominal wattage	0.3 W
Nominal voltage	4.5 V


### Photometrical data

Color temperature	7000 K
Luminous flux	30 lm
Light color (designation)	White

### Light technical data

Beam angle	15 °
------------	------

### Dimensions & weight



Length	86.0 mm
Width	69.0 mm
Height	28.0 mm

### Colors & materials

Body material	Plastic
Product color	White
Cover material	Plastic
Reflector material	Plastic, aluminium vaporised

### Temperatures & operating conditions

Ambient temperature range	≤ +25 °C
---------------------------	----------

### Additional product data

## Product datasheet

Number of lighting outlets	3
Equipment	LED
Equipped with lamp	Yes

### Capabilities

Type of installation	Surface-mounted
Adjustable	Yes
Dimmable	No
Color management (RGB)	No
Type of sensor	Day/Night
With on/off switch	Yes
Accessories	Magnet / Screw / Battery 3x 1.5 V MICRO LR3 AAA

### Certificates & standards

Standards	CE
Protection class	III
Type of protection	IP54

### Country specific categorizations

Order reference	80193
-----------------	-------

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321376596	NIGHTLUX WT	Shipping carton box 6	195 mm x 143 mm x 155 mm	4.32 dm <sup>3</sup>	873.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.