

KREIOS G1

KREIOS G1 | LED luminaires for entertainment applications



Areas of application

- Suitable for indoor applications
- Museums, galleries
- Bars, restaurants, hotels
- Shops (e.g. opticians, pharmacies, hair salons)
- Shopping centers
- Airports
- Cinemas
- Gas stations

Product benefits

- Produces bright and uniformly illuminated images
- Compact, lightweight
- No active cooling required thanks to low heat output and therefore no noise
- Easy access for gobo replacement
- Self-made of Gobo possible
- Easy to install
- Low energy consumption
- 2 year guarantee

Product features

- No UV/IR filters needed
- Manual pan (270°) and tilt (120°) adjustment
- Maximum ambient temperature during operation: 36 °C
- CE marked and UL listed
- Long lifetime of LED: up to 30,000 h



Product datasheet

Technical data


Electrical data

Nominal wattage	20.0 W
Lamp wattage	24 W
Nominal voltage	100...240 V

Photometrical data

Luminous flux	800 lm
Color temperature	6000 K

Dimensions & weight



Length	237.0 mm
Width	69.0 mm
Height	200.0 mm

Colors & materials

Product color	Black
---------------	-------

Country specific information

Product code	METEL-Code	SEG number	STK-Number	UK Org
4008321676160	-	7450247	-	-

Product datasheet

Equipment / Accessories

- Cable included (without plug)
 - Available accessories: Shutter, gel holder, 24° lens, track mount
-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321676160	KREIOS G1	Folding carton box 1	360 mm x 121 mm x 219 mm	9.54 dm ³	2202.00 g
10046135649728	KREIOS G1	Shipping carton box 5	616 mm x 235 mm x 368 mm	53.27 dm ³	11873.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
