

SICCA 250 W 240 V

SICCATHERM | Infrared lamps



Areas of application

- Source of heat for raising young animals
- Intensive drying of agricultural products
- Pasteurizing and drying in the food industry
- Drying paint and varnishes
- Keeping food warm in restaurants

Product benefits

- · Short response time
- Precise controllability
- · High efficiency
- ${\boldsymbol{\cdot}}$ Lamps with red bulb crown effectively reduces the visible light component
- · Long lamp life

Product features

· Dominant radiation wavelength: 1,100 nm

Product datasheet

Technical data


Electrical data

Nominal wattage	250.00 W
Nominal voltage	240 V
Lamp current	0.00104 A
Construction voltage	240 V
Rated wattage	0.25 kW
Lamp voltage	240 V

Light technical data

Beam angle	30 °
-	

Dimensions & weight



Product line drawing

Diameter	125.0 mm
Length	180.0 mm

Lifespan

Lifespan	5000 h
----------	--------

Additional product data

Bulb crown	Clear
Base (standard designation)	E27

Capabilities

Burning position	hs30

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4052899197107	SICCA 250 W 240 V	Folding carton box 1	- x - x -		
4052899197114	SICCA 250 W 240 V	Shipping carton box 12	199 mm x 395 mm x 520 mm	40.87 dm ³	2780.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.