
SICCA 250 W 240 V

SICCATHERM | Infrared lamps



Areas of application

- Source of heat for raising young animals
- Intensive drying of agricultural products
- Pasteurizing and drying in the food industry
- Drying paint and varnishes
- Keeping food warm in restaurants

Product benefits

- Short response time
- Precise controllability
- High efficiency
- Lamps with red bulb crown effectively reduces the visible light component
- Long lamp life

Product features

- Dominant radiation wavelength: 1,100 nm



Product datasheet

Technical data


Electrical data

| | |
|----------------------|-----------|
| Nominal wattage | 250.00 W |
| Nominal voltage | 240 V |
| Lamp current | 0.00104 A |
| Construction voltage | 240 V |
| Rated wattage | 0.25 kW |
| Lamp voltage | 240 V |

Light technical data

| | |
|------------|------|
| Beam angle | 30 ° |
|------------|------|

Dimensions & weight



| | |
|----------|----------|
| Diameter | 125.0 mm |
| Length | 180.0 mm |

Lifespan

| | |
|----------|--------|
| Lifespan | 5000 h |
|----------|--------|

Additional product data

| | |
|-----------------------------|-------|
| Bulb crown | Clear |
| Base (standard designation) | E27 |

Capabilities

| | |
|------------------|------|
| Burning position | hs30 |
|------------------|------|

Country specific information

| Product code | METEL code | SEG number | STK number | UK Org |
|--------------|------------|------------|------------|--------|
|--------------|------------|------------|------------|--------|

Product datasheet

| | | | | |
|---------------|--------------|---------|---------|---|
| 4008321507051 | OSRSHCL250HG | 8333504 | 4779242 | - |
|---------------|--------------|---------|---------|---|

Product datasheet

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (height x width x length) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4008321507051 | SICCA 250 W 240 V | Folding carton box 1 | 124 mm x 124 mm x 178 mm | 2.74 dm ³ | 190.00 g |
| 4008321507068 | SICCA 250 W 240 V | Shipping carton box 12 | 395 mm x 199 mm x 520 mm | 40.87 dm ³ | 2780.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.