

## KREIOS PAR 108 W NSP

KREIOS PAR | LED luminaires for entertainment applications



### Areas of application

- Suitable for indoor and outdoor applications (IP65)
- Public and commercial buildings
- Music festivals, stadiums, theme parks
- Stages
- Exhibition halls

### Product benefits

- Portable, lightweight luminaire
- High intensive light with low heat output
- Very robust luminaire
- No fan required thanks to passive cooling
- 2 year guarantee

### Product features

- Light output: 4,200 lm
- Up to 16.7 million colors
- Dimming range: 0...100 %
- Built-in control of statics, auto, sound
- DMX512 monitoring
- Lifetime: up to 30,000 h
- Different versions available with beam angle: 15°, 30°, 45°, 60°
- Strobe effect
- Type of protection: IP20 or IP65 (model dependent)



# Product datasheet

## Technical data


### Electrical data

|                 |             |
|-----------------|-------------|
| Nominal wattage | 108 W       |
| Lamp voltage    | 100...240 V |
| Lamp current    | 0.7 A       |

### Light technical data

|                          |        |
|--------------------------|--------|
| Beam angle (designation) | Narrow |
|--------------------------|--------|

### Dimensions & weight



|                |           |
|----------------|-----------|
| Length         | 315.0 mm  |
| Width          | 251.0 mm  |
| Height         | 319.0 mm  |
| Product weight | 5700.00 g |

### Colors & materials

|               |       |
|---------------|-------|
| Product color | Black |
|---------------|-------|

### Lifespan

|          |         |
|----------|---------|
| Lifespan | 30000 h |
|----------|---------|

### Capabilities

|          |     |
|----------|-----|
| Dimmable | Yes |
|----------|-----|

### Certificates & standards

|                    |      |
|--------------------|------|
| Type of protection | IP20 |
|--------------------|------|

## Product datasheet

---

### Logistical Data

| Product code  | Product description  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume                | Gross weight |
|---------------|----------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4052899205147 | KREIOS PAR 108 W NSP | Shipping carton box<br>1     | 315 mm x 315 mm x<br>345 mm          | 34.23 dm <sup>3</sup> | 6538.00 g    |

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### References / Links

For Guarantee see

▶ [www.osram.com/guarantee](http://www.osram.com/guarantee)

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

---