

L BLUE UVA 15 W/78 G5

OSRAM BLUE | Lamps



Areas of application

- Polymerization of blue-sensitive plastics, adhesives, paints and dyes (BLUE)
- Curing plastics (BLUE UVA)
- Sealing surfaces in dentistry (BLUE UVA)
- Cosmetic finger nail treatments (BLUE UVA)
- Insect traps (BLUE UVA)
- Exposure during printed circuit board manufacturing (BLUE UVA)
- Terrariums (BLUE UVA)
- Scientific investigations (BLUE UVA)



Product datasheet

Technical data


Electrical data

Nominal wattage	15.0 W
Lamp current	0.4 A

Photometrical data

Radiated power 315...400 nm (UVA)	3.1 W
-----------------------------------	-------

Dimensions & weight



Diameter	16.0 mm
Length	288.0 mm

Additional product data

Base (standard designation)	G5
-----------------------------	----

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899077386	L BLUE UVA 15 W/78 G5	Sleeves 1	- x - x -		
4052899077393	L BLUE UVA 15 W/78 G5	Shipping carton box 25	316 mm x 103 mm x 109 mm	3.55 dm ³	926.00 g
4052899077409	L BLUE UVA 15 W/78 G5	Shipping carton box 375	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.