Product datasheet



HNS PURITEC HNS | Germicidal ultraviolet lamps

Areas of application

- Efficient disinfecting of air, water and surfaces



Product benefits

- Effective and environment-friendly disinfection without chemicals
- Low mercury content
- Long lifetime due to specific coating
- Ozone-free

Product features

- Dominant wavelength: 254 nm (OFR version)



Product datasheet

Technical data

Electrical data


Nominal wattage	30.00 W
Nominal voltage	96.0 V
Construction voltage	96.00 V
Nominal current	0.36 A
Lamp current	0.36 A

Photometrical data

Radiated power 200280 nm (UVC)	12 W
--------------------------------	------

Dimensions & weight





Diameter	26.0 mm
Length	895.0 mm

Additional product data

Base (standard designation)	G13

Capabilities

Burning position	s180
------------------	------

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321398888	OSRHNS300FR	-	-	-
4008321770301	-	-	4933164	-

Product datasheet

Safety advice

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321398888	HNS	Sleeves 1	912 mm x 31 mm x 42 mm	1.19 dm³	135.33 g
4008321398895	HNS	Shipping carton box 10	928 mm x 85 mm x 145 mm	11.44 dm³	1832.00 g
4008321398901	HNS	Shipping carton box 100	942 mm x 190 mm x 208 mm	37.23 dm³	7129.33 g
4008321770301	HNS	Sleeves 1	912 mm x 27 mm x 27 mm	0.66 dm ³	160.00 g
4052899103368	HNS	Shipping carton box 25	930 mm x 150 mm x 155 mm	21.62 dm³	3847.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.