

# 64515 300 W 230 V

Halogen lamps, medium/high voltage, single-ended



### Areas of application

- Professional film and TV work

#### **Product features**

- Operation at mains voltage: 120 V | 230 V | 240 V

- Color temperature: 2,900 K | 3,000 K (with longer lifespan)

- Color temperature: 3,200 K (for professional film and TV work)

- Color temperature: 3,400 K (for maximum luminous efficacy)





# Product datasheet

#### Technical data


### **Electrical data**

Nominal wattage	300.00 W	
Nominal voltage	230.0 V	
Nominal current	1.30 A	

#### Photometrical data

Nominal luminous flux	9600 lm
Luminous flux	9600 lm
Color temperature	3300 K

# Dimensions & weight







Diameter	18.5 mm
Length	53.0 mm
Illuminated field	9.8*12.5 mm²
Filament diameter	12.5 mm

### Lifespan

Lifespan	15 h

## Additional product data

Base (standard designation)	GX6.35	
Product remark	With quartz pinch technology	

## **Capabilities**

Burning position	s90
------------------	-----

### Certificates & standards


# Product datasheet

EEI – Energy Label	В
--------------------	---

# **Country specific categorizations**

Order reference	64515 300W 230V

### Product datasheet



#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321746153	64515 300 W 230 V	Folding carton box 1	71 mm x 33 mm x 37 mm	0.09 dm <sup>3</sup>	15.00 g
4008321746160	64515 300 W 230 V	Shipping carton box 20	205 mm x 76 mm x 142 mm	2.21 dm <sup>3</sup>	335.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### References / Links

For further information on pinch technology, please refer to the following brochure: "A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.