

---

## 64516 300 W 230 V

Halogen lamps, medium/high voltage, single-ended

---

### Areas of application


- Professional film and TV work



---

### Product features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



# Product datasheet

## Technical data


### Electrical data

Nominal wattage	300.00 W
Nominal voltage	230 V

### Photometrical data

Nominal luminous flux	7900 lm
Luminous flux	7400 lm
Color temperature	3150 K

### Dimensions & weight



Diameter	18.5 mm
Length	57.5 mm
Illuminated field	9.8*12.5 mm <sup>2</sup>
Filament diameter	12.5 mm

### Lifespan

Lifespan	75 h
----------	------

### Additional product data

Base (standard designation)	GX6.35
Product remark	With quartz pinch technology

### Capabilities

Burning position	s90
------------------	-----

### Certificates & standards


EEL – Energy Label	B
--------------------	---

## Product datasheet

### Country specific categorizations

LIF	CP/97
Order reference	64516 300W 230V

## Product datasheet



### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321746191	64516 300 W 230 V	Folding carton box 1	71 mm x 33 mm x 37 mm	0.09 dm <sup>3</sup>	13.80 g
4008321746207	64516 300 W 230 V	Shipping carton box 20	205 mm x 76 mm x 142 mm	2.21 dm <sup>3</sup>	341.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### References / Links

For further information on pinch technology, please refer to the following brochure:  
"A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.