


Hal Single End 64575 1000 W 230 V

Halogen lamps, medium/high voltage, single-ended


Areas of application

- Professional film and TV work



Product features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



September 3, 2018, 20:01:12 Hal Single End 64575 1000 W 230 V

Technical data


Electrical data

Nominal wattage	1000.00 W
Nominal voltage	230 V

Photometrical data

Nominal luminous flux	33000 lm
Color temperature	3400 К

Dimensions & weight





0 0

Diameter	24.0 mm	
Length	67.5 mm	
Illuminated field	14.0*14.0 mm²	
Filament diameter	14.0 mm	


Lifespan

Lifespan	15 h		
Additional product data			
Base (standard designation)	GX6.35		
Capabilities			
Burning position	Any		
Certificates & standards			
EEI – Energy Label	В		
Country specific categorizations			

ANSI code	EGY	
Order reference	64575 1000W 230	

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321098856	OSRH64575	-	-	-



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321098856	Hal Single End 64575 1000 W 230 V	Folding carton box 1	111 mm x 42 mm x 42 mm	0.20 dm³	26.60 g
4008321098863	Hal Single End 64575 1000 W 230 V	Shipping carton box 12	180 mm x 127 mm x 140 mm	3.20 dm ³	349.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure: "A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.