

64515 300 W 240 V

Halogen lamps, medium/high voltage, single-ended


Areas of application

- Professional film and TV work



Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



April 5, 2022, 16:43:00 64515 300 W 240 V

Technical data

Product information


Electrical data

Nominal wattage	300.00 W	
Nominal voltage	240 V	
On-mode power	320.0 W	
Energy consumption in on-mode	320 kWh/1000h	

Photometrical data

Color temperature 3350 K	
Color rendering index Ra	100
Φuse value refers to luminous flux	in a sphere (360°)
Correlated color temperature CCT	3400 К
Useful luminous flux (Фиse)	9685 lm
Chromaticity coordinate x	0.412
Chromaticity coordinate y	0.395

Dimensions & weight



Diameter	18.5 mm
Length	53.0 mm
Illuminated field	10.0*12.5 mm ²
Filament diameter	12.5 mm


Lifespan

Lifesnan	15 h
Lifespali	1711

Additional product data

Base (standard designation)	GX6.35
Product remark	With quartz pinch technology
Capabilities	
Dimmable	Yes
Burning position	s90
Cortificatos & standards	
Certificates & standards Energy efficiency class	G
	G
Energy efficiency class	G Other
Energy efficiency class	
Energy efficiency class Country specific categorizations ANSI code	Other

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration 19-01-2022			
Primary Article Identifier	4008321189110 4008321746177		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	No declarable substances contained		



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321746177	64515 300 W 240 V	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm³	14.00 g
4008321746184	64515 300 W 240 V	Shipping carton box 20	205 mm x 76 mm x 142 mm	2.21 dm ³	335.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure: "A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.