


## 64781 2000 W 230 V

Halogen studio lamps, double-ended



### Areas of application

- Professional film and TV work
- Theater and concert stages
- Entertainment

### Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



# Product datasheet

## Technical data

### Product information

Order reference	64781 FEX P2/27
-----------------	-----------------


### Electrical data

Nominal wattage	2000.00 W
Nominal voltage	230 V
On-mode power	2005.0 W
Energy consumption in on-mode	2005 kWh/1000h

### Photometrical data

Color temperature	3200 K
Color rendering index Ra	100
Φuse value refers to luminous flux ..	in a sphere (360°)
Correlated color temperature CCT	3107 K
Useful luminous flux (Φuse)	46260 lm
Chromaticity coordinate x	0.430
Chromaticity coordinate y	0.402

### Dimensions & weight



Diameter	30.0 mm
Length	138.1 mm
Length with base excl. base pins/connection	138.50 mm

### Lifespan

Lifespan	300 h
----------	-------

### Additional product data

## Product datasheet

Base (standard designation)	RX7s
-----------------------------	------

### Capabilities

Dimmable	Yes
Burning position	p15

### Certificates & standards

Energy efficiency class	G
-------------------------	---

### Country specific categorizations

ANSI code	Other
LIF	P2/27
Order reference	64781 FEX P2/27

### Logistical data

EAN 10 of contained light source	4050300229997
----------------------------------	---------------

### Environmental information

#### Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)

Date of Declaration	19-01-2022
Primary Article Identifier	4050300229997
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300229997	OSRH64781	-	-	-
4050300229997	OSRH64781	-	-	-

