

L 36 W/73

SUPRATEC | Blacklight & blue fluorescent lamps



Areas of application

- Curing large areas of plastic
- Hardening paints, lacquers and modern adhesives
- Artificial material aging
- Exposure of diazo film material and print masters
- Fluorescence excitation (with black glass filters)



Product datasheet

Technical data

Electrical data

Nominal wattage	36.00 W
Lamp voltage	103 V
Lamp current	0.43 A

Photometrical data

Radiated power 315...400 nm (UVA)	8.0 W
-----------------------------------	-------

Dimensions & weight



Diameter	26.0 mm
Length	1200.0 mm

Lifespan

Lifespan	2000 h
----------	--------

Additional product data

Base (standard designation)	G13
-----------------------------	-----

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4008321054715	OSRL3673	8333646	4930499	-

Product datasheet

Safety advice

Always follow the instructions. Always wear goggles. Be aware that medication and cosmetics can increase the skin's sensitivity to radiation. Persons with sensitive skin and anyone under the age of 18 should not be exposed to the radiation from solariums or UV sunlamps.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321054715	L 36 W/73	Sleeves 1	1215 mm x 28 mm x 30 mm	1.02 dm ³	228.00 g
4008321054722	L 36 W/73	Shipping carton box 20	1240 mm x 130 mm x 155 mm	24.99 dm ³	4960.00 g
4008321054739	L 36 W/73	Shipping carton box 80	1260 mm x 300 mm x 345 mm	130.41 dm ³	22340.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
