



CorePro LEDspot MV

CorePro LEDspotMV ND 3.7-60W 827 R80 40D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data


General Information		Power (Rated) (Nom)	
Cap-Base	E27 [E27]		3.7 W
Bulb Shape	R80 [R 80mm]	Lamp Current (Nom)	32 mA
Nominal Lifetime (Nom)	15000 h	Wattage Equivalent	60 W
Switching Cycle	50000X	Starting Time (Nom)	0.5 s
Technical Type	3.7-60W	Warm Up Time To 60% Light (Nom)	1 s
		Power Factor (Nom)	0.4
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	67 °C
Beam Angle (Nom)	40 °		
Luminous Intensity (Nom)	850 cd	Controls and Dimming	
Color Designation	Warm White (WW)	Dimmable	No
Rated Beam Angle	40 °		
Correlated Color Temperature (Nom)	2700 K	Approval and Application	
Luminous Efficacy (rated) (Nom)	100.00 lm/W	Energy Saving Product	Yes
Color Consistency	<6	Suitable For Accent Lighting	Yes
Color Rendering Index (Nom)	80	Energy Efficiency Label (EEL)	A++
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Consumption kWh/1000 h	4 kWh
Luminous Flux In 90° Cone (Rated)	370 lm		
Operating and Electrical		Product Data	
Input Frequency	50 to 60 Hz	Full product code	871869658406400

CorePro LEDspot MV

Order product name	CorePro LEDspotMV ND 3.7-60W 827 R80 40D
EAN/UPC - Product	8718696584064
Order code	929001235602
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6

Material Nr. (12NC)	929001235602
Net Weight (Piece)	0.088 kg

Dimensional drawing



Product	D	C
CorePro LEDspotMV ND 3.7-60W 827 R80 40D	80 mm	113 mm

R80 220-240V 6W-60W 345lm 2700K E27 ND

Photometric data

Accent Lighting - Spots

