



Actinic BL TL-D(K) Secura

Actinic BL TL-D TL-D 15W/10 Secura 1SL/25

With an optimized spectrum matching the eye sensitivity of the housefly, Actinic BL TL-D(K) Secura lamps are perfect for attracting insects. They have virtually no UV-B output, and so are perfectly safe. In addition, they have a special "Secura" sleeve that keeps all glass and components together in the case of accidental breakage. This eliminates the risk of glass splinters showering down on food preparation areas, for example. And that is why it meets the strict HACCP requirements. What's more, with the lowest mercury content in the industry and being 100% lead-free, these lamps represent a very good environmental choice.

Product data

| General Information | |
|---------------------------------|----------------------------------|
| Cap-Base | G13 [Medium Bi-Pin Fluorescent] |
| Main Application | Reprography (R) |
| Life to 50% Failures (Nom) | 8000 h |
| Useful Life (Nom) | 5000 h |
| Light Technical | |
| Color Code | 10 |
| Color Designation | Actinic |
| Chromaticity Coordinate X (Nom) | 222 |
| Chromaticity Coordinate Y (Nom) | 210 |
| UV Depreciation at 2000 h | 25 % |
| UV Depreciation at 5000 h | 40 % |
| Operating and Electrical | |
| Power (Rated) (Nom) | 15 W |
| Lamp Current (Nom) | 0.335 A |

| Voltage (Nom) | 51 V |
|---------------------------------|---|
| Approval and Application | |
| Mercury (Hg) Content (Nom) | 5.5 mg |
| UV | |
| UV-B/UV-A (IEC) | 0.2 % |
| UV-A Radiation 100Hr (IEC) | 3.15 W |
| Product Data | |
| Full product code | 871150089858640 |
| Order product name | Actinic BL TL-D TL-D 15W/10 Secura 1SL/25 |
| EAN/UPC - Product | 8711500898586 |
| Order code | 928024701029 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 25 |
| Material Nr. (12NC) | 928024701029 |


Actinic BL TL-D(K) Secura

| | |
|--------------------|----------|
| Net Weight (Piece) | 61.000 g |
|--------------------|----------|

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.



Dimensional drawing



| Product | D (max) | A (max) | B (max) | B (min) | C (max) |
|-----------------------------|---------|----------|----------|----------|----------|
| Actinic BL TL-D TL-D 15W/10 | 28 mm | 437.4 mm | 444.5 mm | 442.1 mm | 451.6 mm |
| Secura 1SL/25 | | | | | |

TL-D 15W/10 SECU

Photometric data



Lightcolor /10

Lightcolor /10

