



MASTER TL-D Food

MASTER TL-D Food 58W/79 SLV/25

The TL-D Food lamp makes the appearance of meat and bakery products more fresh and tasty. It can be applied for food illumination in butcher shops, bakeries, supermarkets etc.

Product data

General Information				
Cap-Base	G13 [Medium Bi-Pin Fluorescent]			
life to 50% Failures (Nom)	15000 h			
ife to 50% Failures Preheat (Nom)	20000 h			
ight Technical				
Color Code	79			
uminous Flux (Nom)	2800 lm			
Color Designation	Food			
umen Maintenance 2000 h (Nom)	90 %			
umen Maintenance 5000 h (Nom)	85 %			
orrelated Color Temperature (Nom)	3800 K			
uminous Efficacy (rated) (Nom)	48 lm/W			
olor Rendering Index (Nom)	74			
Operating and Electrical				
Power (Rated) (Nom)	58.5 W			
amp Current (Nom)	0.670 A			
/oltage (Nom)	111 V			

Yes		
В		
5.0 mg		
69 kWh		
871150070623240		
MASTER TL-D Food 58W/79 SLV/25		
8711500706232		
928049002043		
1		
25		
928049002043		
167.000 g		
FD-58/38/2A-E-G13		

Warnings and Safety


• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Datasheet, 2018, July 25 data subject to change

Controls and Dimming

MASTER TL-D Food


Dimensional drawing




Pro	oduct	D (max)	A (max)	B (max)	B (min)	C (max)
MA	ASTER TL-D Food	28 mm	1500 mm	1507.1 mm	1504.7 mm	1514.2 mm
58	W/79 SLV/25					

TL-D Food 58W/79

Photometric data







Lightcolor /79

Lightcolor /79

Lifetime






MASTER TL-D Food/Food Secura Life Expectancy 12 h cycle

MASTER TL-D Food/Food Secura Life Expectancy 3 h cycle

MASTER TL-D Food

Lifetime



MASTER TL-D Food/Food Secura Lumen Maintenance 3 h + 12 h cycle

