



TUV Amalgam XPT systems

TUV 325W XPT HO SE UNP/20

Philips TUV Amalgam XPT system consists of an electronic driver that operates one TUV Amalgam XPT lamp, mounted in a sleeve. The electrical specifications are tailored to the lamp, ensuring an optimized performance of the Philips TUV Amalgam XPT system. Thanks to extensive testing before a lamp system is released, we can ensure maximum reliability and long lifetime.

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- DANGER: Risk Group 3 Ultra Violet product. These lamps emit high-power UV radiation that can cause severe injury to skin and eyes. Avoid eye and skin exposure to unshielded product. Use only in an enclosed environment which shields users from the radiation.

Product data

General Information	
Cap-Base	G10.2Q [G10.2q]
Remarks	Warnings and Safety: A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner. DANGER: Risk Group 3 Ultra Violet product. These lamps emit high-power UV radiation that can cause severe injury to skin and eyes. Avoid eye and skin exposure to unshielded product. Use only in an enclosed environment which shields users from the radiation.
Operating Position	UNIVERSAL [Any or Universal (U)]
Main Application	Disinfection
Light Technical	
Depreciation at Useful Lifetime	15 %
Operating and Electrical	
Power (Nom)	325 W
Lamp Current (Nom)	2.1 A

TUV Amalgam XPT systems

Ignition Supply Voltage (Min)	158 V
Controls and Dimming	
Dimmable	Yes
Product Data	
Full product code	872790080446100
Order product name	TUV 325W XPT HO SE UNP/20
EAN/UPC - Product	8718291548348

Order code	928107005112
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	20
Material Nr. (12NC)	928107005112
Net Weight (Piece)	0.310 kg



Dimensional drawing



Product	D	O	C (max)
TUV 325W XPT HO SE UNP/20	19 mm	1480 mm	1582 mm

TUV 340W XPT HO SE

Photometric data



TUV Amalgam XPT systems

Lifetime

