



20000
kWh/1000h

B
energy class

29
lumens/watt

Single Ended Halogen Q20MT32/CL 240V 48774

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

Application areas



Film and Broadcast



Theatre



Product data

Light Center Length [mm]	354
Product Code	48774
Bulb Shape	Tubular
Bulb Diameter [mm]	32
Maximum Overall Length [mm]	560
Net weight per piece [g]	1150
Gross weight per piece [g]	2000
Brand	GE Lighting
Cap/Base	G38

Performance data

Rated Lumens [lm]	580000
Weighted energy consumption [kWh/1000h]	20000.0
Energy efficiency class (EEC)	B
Rated Life [h]	400
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	580000
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Rated power [W]	20000.0
Coil type	C-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	20000.0
Nominal lamp voltage [V]	240

Logistic data

DUN Code	00043168487740
EAN Code	5021731314025
Pack Quantity	1
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	4 EUR, 5 UK
Layer quantity EUR	4
Layer quantity UK	5
Pallet quantity EUR (PC)	12
Pallet quantity UK (PC)	15
Outer case size	270 x 265 x 705 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination

