



992  
kWh/1000h

D  
energy class

21  
lumens/watt

## Single Ended Halogen

T19 FWR 230-240V

# 88457

### Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W  
-Range of bases to meet the needs of OEMs -  
Chromised seal protection up to 500° C.


### Application areas



Film and Broadcast



Theatre



## Product data

Light Center Length [mm]	55
Product Code	88457
Bulb Shape	Tubular
Bulb Diameter [mm]	35
Maximum Overall Length [mm]	105
Net weight per piece [g]	45
Gross weight per piece [g]	150
Brand	General Electric (GE)
Cap/Base	GX9.5

## Performance data

Weighted energy consumption [kWh/1000h]	991.38
Energy efficiency class (EEC)	D
Rated Life [h]	750
Nominal correlated colour temperature (CCT) [K]	3050
Nominal lumens [lm]	21000
Colour Rendering Index (CRI) [Ra]	100

## Electrical data

Coil type	C-13D
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	1000
Nominal lamp voltage [V]	240

## Logistic data

DUN Code	10043168884577
EAN Code	0043168884570
Pack Quantity	12
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	144 EUR, 180 UK
Layer quantity EUR	144
Layer quantity UK	180
Pallet quantity EUR (PC)	1152
Pallet quantity UK (PC)	1440
Outer case size	190 x 350 x 126 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination