



300

kWh/1000h

23

lumens/watt

Single Ended Halogen

CP81 FSK 240V

93106479

Product information

Quartz lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W
-Range of bases to meet the needs of OEMs -
Chromised seal protection up to 500° C.

Application areas



Film and Broadcast



Theatre



Product data

| | |
|-----------------------------|----------|
| Product Code | 93106479 |
| Light Center Length [mm] | 46 |
| Bulb Shape | Tubular |
| Bulb Diameter [mm] | 25 |
| Maximum Overall Length [mm] | 90 |
| Net weight per piece [g] | 16 |
| Gross weight per piece [g] | 30 |
| Brand | Tungsräm |
| Cap/Base | GY9.5 |

Performance data

| | |
|---|-------|
| Rated Lumens [lm] | 6900 |
| Weighted energy consumption [kWh/1000h] | 300.0 |
| Energy efficiency class (EEC) | G |
| Rated Life [h] | 150 |
| Nominal correlated colour temperature (CCT) [K] | 3200 |
| Nominal lumens [lm] | 6900 |
| Colour Rendering Index (CRI) [Ra] | 100 |

Electrical data

| | |
|--------------------------|-------|
| Rated power [W] | 300.0 |
| Coil type | C-7A |
| Dimming Capability | Yes |
| Ballast Required | No |
| Nominal power [W] | 300 |
| Nominal lamp voltage [V] | 240 |

Logistic data

| | |
|--------------------------|----------------------|
| DUN Code | 15994100021077 |
| EAN Code | 5994100021070 |
| Pack Quantity | 24 |
| Layer quantity | 504 EUR, 600 UK |
| Layer quantity EUR | 504 |
| Layer quantity UK | 600 |
| Pallet quantity EUR (PC) | 4032 |
| Pallet quantity UK (PC) | 4800 |
| Outer case size | 255 x 175 x 130 (mm) |
| Product status | Available |

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination

