TUNGSRAM

Innovation is our heritage EST. 1896



Product information


An extensive range of Specialist projector lamps which are precisely manufactured, with tailored filaments optimising source brightness giving high performance in many applications. -High lightgenerating efficacy to help reduce power consumption and heat generation- Prefocus-type caps or precision rim mounting to position the filament accurately in relation to the optics.

Application areas



Other







Product data

Light Center Length [mm]	39.878
Product Code	88492
Bulb Shape	Tubular
Bulb Finish	Clear
Bulb Diameter [mm]	16.3
Maximum Overall Length [mm]	62
Net weight per piece [g]	0.006
Gross weight per piece [g]	35
Operating position	BDTH - Base Down to Horiz
Brand	GE Lighting
Cap/Base	G6.35-15

Performance data

Rated Lumens [lm]	3000
Weighted energy consumption [kWh/1000h]	150.0
Nominal Initial Lumens per Watt [lm/W]	12
Energy efficiency class (EEC)	С
Rated Life [h]	50
Rated life L70/B50 [h]	50
Nominal correlated colour temperature (CCT) [K]]	3400
Nominal lumens [lm]	3000
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Rated power [W]	150.0
Coil type	C-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	150.0
Nominal lamp voltage [V]	230

Logistic data

10043168225769
5021731314025
20
504 EUR, 600 UK
1520
2000
333
Available

Downloads & Links Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) Lighting design tools & calculators (HTTP) Entertainment Pocket brochure (PDF) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

TUNGSRAM

Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.